





























	Model	Description	Price Excl VAT
<b>Provision DVR Cards (Remote view over internet, LAN and supports Motion Detection recording)</b>			
	DVR84	4 Cameras Image definition : 9-bit ADCs, real time. Video total frame rate :25 fps in PAL, Image Compression : H.264/ MPEG-4	599
	DVR94	4 Cameras Image definition : 9-bit ADCs, real time. Video total frame rate :100 fps in PAL, Image Compression : H.264/ MPEG-4	899
	DVR94A	4 Cameras, Image definition : 9-bit ADCs real time + 4 channels Audio input. Video total frame rate :100 fps in PAL, Image Compression : H.264/ MPEG-4	1124
	DVR98/EX	8 Cameras ADCs bring better image quality. Video total frame rate : 200 fps in PAL real time, Image Compression : H.264/ MPEG-4	1349
	DVR9816	16 Cameras Image definition : 10-bit ADCs. Video total frame rate :200 fps in PAL, Image Compression : H.264/ MPEG-4	2399
	DVR9816EX	16CH Cameras Image definition : 10-bit ADCs. Video total frame rate :400 fps display/record in PAL, Image Compression : H.264/ MPEG-4	2999
	DVTech400	Up to 16 Cameras. 480 (NTSC) / 400 FPS (PAL), D1 Res on all 16CH, H.264 Hardware compression	10949
	DVTech IP	Up to 4 Cameras Mobile DVR 100fps, with option for remote view via cell phone and more..Stand alone device no PC 1 video output, 2 way audio, 2 way I/O	5999
	DVCS	Dvtech Control Center software can remote view and control up to 100 Remote sites. Comes with 20, 50 and 100 sites fully remote control software	3899
<b>Provision Embedded DVR</b>			
	SA-4100S	Standalone DVR - H.264 4 cameras +2 audio 100 fps 1CIF Res Recording+Network. VGA OUT, MONITOR OUT, PTZ, RELAY I/O, MOUSE. USB	2699
	SA-8200	Standalone DVR - H.264 8 cameras +4 audio 200 fps D1 Res Recording +Network. VGA OUT, MONITOR OUT, S-VIDEO, PTZ, RELAY I/O, MOUSE. USB	4499
	SA-16200	16 Cameras Image definition : Triplex +Lan + USB Connection D1 Res Recording + Network. Video total frame rate :400 fps in PAL, 200fps Recording Image Compression : H.264 + 4 Audio CH	6749
	SA-16400	16 Cameras Image definition : Triplex +Lan + USB Connection D1 Res Recording + Network. Video total frame rate :400 fps in PAL, 400fps Recording Image Compression : H.264 + 4 Audio CH	7499
	DIYKIT	4CH Surveillance KIT includes 4CH DVR with 2 Audio 100Fps Net, D1 Recording Res, 4 Indoor/Outdoor Cameras IR. Brackets, Power Supply 4X5m Cable, Mouse and Remote Control Retail Box	5999
<b>Fixed Colour Cameras</b>			
	BZ-432CS	1/4" SONY CCD, 480 TVL, 22X Zoom, 3.9-85.8mm Lens, 0.05 Lux Day & Night	1199
	BX-352CS	1/3" SONY CCD Super Had, 540 TVL, 0.05 Lux Day & Night	899
	BX-322CS	1/3" SONY CCD Super Had, 420 TVL, 0.05 Lux Day & Night	599
	BX-351CS	1/3 Sony CCD, 540 TVL, 0.001 Lux Day & Night	1349
<b>Fixed Dome Cameras</b>			
	DI-355CS36	HQ1, 540TVL, 3.6mm Lens, 0 Lux Day & Night, 18 LEDS	899
	DI-325CS36	1/3" Sony CCD Super Had, 420 TVL, 3.6mm Lens, 0 Lux Day & Night, 18 LEDS	674
	DI-355CS36(FL)	HQ1, 540TVL, 3.6mm Lens, 0 Lux Day & Night, 24 LEDS	974
	DI-326CS36(FL)	1/3" Sony CCD Super Had, 420TVL, 3.6mm Lens, 0 Lux Day & Night, 24 LEDS	749













	Model	Description	Price Excl VAT
	DI-355CSVF	HQ1, 540TVL, 4-9mm Lens, 0 Lux Day & Night, 36 LEDS	1274
	DI-325CSVF	1/3" Sony CCD Super Had, 420TVL, 4-9mm Lens, 0 Lux Day & Night, 36 LEDS	974
	DX-352CS36	HQ1, 540TVL, 3.6mm Lens, 0.05 Lux Day & Night	899
	DX-322CS36	1/3" Sony CCD Super Had, 420TVL, 3.6mm Lens, 0.05 Lux Day & Night	599
	DL-325CS36	1/3" Sony CCD Super Had, 420TVL, 3.6mm Lens, 0.5 Lux, UFO Ceiling Mount	599
	DS-355CS36	HQ1, 540TVL, 3.6mm Lens, 0.5 Lux, Smoke Detector Housing	974
	DS-325CS36	1/3" Sony CCD Super Had, 420TVL, 3.6mm Lens, 0.5 Lux, Smoke Detector Housing	629
	DA-352CS(JA)	HQ1, 540TVL, 3.6mm Lens, 0.5 Lux, Vandal Resistant Housing	1124
	DA-322CS(JA)	1/3" Sony CCD Super Had, 420TVL, 3.6mm Lens, 0.5 Lux, Vandal Resistant Housing	749
	DM-323CS	1/3" Sony CCD Super Had, 420TVL, 3.6mm or 6mm Lens, 0.2 Lux, Mirror Housing	1799

**Mini Cameras**

	MP-325CS37 (PH)	1/3" Sony CCD, 420TVL, 3.7mm Lens, 0.5 Lux, Bullet Housing	674
	MC-322CS	1/3" Sony CCD Super Had, 420TVL, 3.7mm Lens, 0.1 Lux, Mini Square Housing	629
	MV-326CS	1/3" Sony CCD Super Had, 420TVL, 3.7mm Lens, 0.1 Lux, PIR Housing	629
	MN-322CS43	1/3" Sony CCD Super Had, 420TVL, 3.7mm Lens, 0.1 Lux, Network Plug Box Housing	674
	MD-325CS	1/3" Sony CCD Super Had, 420TVL, 1.78mm Lens, 0.5 Lux, Recessed Mount	899
	MW-325CS	1/3" Sony CCD Super Had, 420TVL, 3.7mm Lens, 0.01 Lux, Snake Camera no Audio	974

**Infrared Cameras**

	I2-355CS	HQ1, 540TVL, 4mm or 6mm Lens, 0 Lux Day & Night, 28 LEDS, Water Proof Housing	974
	I2-325CS	1/3" Sony CCD Super Had, 420TVL, 4mm or 6mm Lens, 0 Lux Day & Night, 28 LEDS, Water Proof Housing	674
	I3-355CSVF	HQ1, 540TVL, 4 - 9mm Lens, 0 Lux Day & Night, 36 LEDS, Water Proof Housing	1274
	I3-325CSVF	1/3" Sony CCD Super Had, 420TVL, 4 - 9mm Lens, 0 Lux Day & Night, 36 LEDS, Water Proof Housing	974
	I4-355CS	HQ1, 540TVL, 6mm, 8mm or 12mm Lens, 0 Lux Day & Night, 64 LEDS, Water Proof Housing	1199
	I4-325CS	1/3" Sony CCD Super Had, 420TVL, 6mm, 8mm or 12mm Lens, 0 Lux Day & Night, 64 LEDS, Water Proof Housing	899

	Model	Description	Price Excl VAT
	I4-330DU	1/3" Sony CCD Colour 540 TVL, 1/3" Sony CCD B/W 420TVL, 6mm, 8mm or 12mm Lens, 0 Lux Day & Night, 30 LEDS, Water Proof Housing	1949
	I4-L	Infrared Illuminator, 6 Long Range LEDS, 50m, Water Proof	644
<b>Lenses</b>			
	2812D	1/3" Auto Iris, CS Mount, Aperture 1.4, 2.8 - 12mm Focal Length	578
	0358DV	1/3" Auto Iris, CS Mount, Aperture 1.4, 3.5 - 8mm Focal Length	419
	0770DV	1/3" Auto Iris, CS Mount, Aperture 1.4, 7 - 70mm Focal Length	629
	05100DV	1/3" Auto Iris, CS Mount, Aperture 1.8-360, 5 - 100mm Focal Length	779
<b>Accessories</b>			
	PR-TFT7	7" LCD Monitor with Remote, 2 AV Video in, 1 Audio In, built in speakers, Black & White	1049
	PR-SO2	4GB Camera Pen with video and audio recording function. 640 x 480 high resolution	524
	RG20M	20m Ready made RG59 PowerAx cable includes BNC connectors and DC plugs	224
	PSU5	Power Supply 12VDC 5A with 4 way DC splitter	299
<b>Dummy Cameras</b>			
	PR-D01	Fixed Dome Camera dummy with flashing light	119
	PR-D03	Bullet Type dummy camera with flashing light	149